EAST Search History

Ref#	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
		reserv\$3) with (unallocat\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/26 17:44
		"10629093".rlan. or ("10". src. and "629093".ap.)	US-PGPUB; USPAT; USOCR; DERWENT	OR	ON	2009/02/23 15:39
L2	5	cache with (disabl\$3) with (enabl\$3) with (line section area portion) with (chang\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/26 20:15
L3	0	cache with (line section area portion) with unhidden	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/26 20:19
L4	14	cache with (line section area portion) with unblock\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/26 20:19
L5	957	allocat\$3 near2 unallocated	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/26 20:21
L6	15	allocat\$3 near2 unallocated with cache	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/26 20:21
L7	720	cache with (accessible) with (line section area portion)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/26 20:23

L8	48	cache with (inaccessible) with (line section area portion)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/26 20:23
L9	17	7 and L8	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/26 20:23
L10	10	way with cache with locked with remain\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/26 20:59
L11	0	cache with visuable with remain\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/26 21:02
L12	0	cache with visiable with remain\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/26 21:02
L13	0	cache with invisiable with remain\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/26 21:02
L14	247	cache with (disabl\$3) with (enabl\$3) with (line section area portion)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/26 21:04
L15	19	cache with (disabl\$3) with (enabl\$3) with (line section area portion) with remain\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/26 21:04
L16	7	reserv\$3 with pinned with cache	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/26 21:54

S1	1	"10629093".rlan. or ("10". src. and "629093".ap.)	US-PGPUB; USPAT; USOCR; DERWENT	OR	ON	2009/02/23 15:39
S2	1	S1 and search adj group	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/23 15:40
S 3	2	US-6032207-\$.DID.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/23 19:47
S4	2	("6,434,666").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/23 20:16
S5	1649	(711/113).COLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/23 20:18
S6	0	("cachewith(reserv\$3lock\$3) with(areaspacelineset)").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/23 20:26
S7	2525	cache with (reserv\$3 lock\$3) with (area space line set)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/23 20:26
\$8	1614	S7 and @ay< "2004"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/23 20:26
S9	0	("2005/0102465").URPN.	USPAT	OR	ON	2009/02/23 20:27
S10	0	("2005/0102465").URPN.	USPAT	OR	ON	2009/02/23 20:27
S11	55	((ROBERT) near2 (ROYER)). INV.	US-PGPUB; USPAT	OR	ON	2009/02/23 20:28

S12	34	cache with (predefin\$3 predetermin\$3) with area with (lock\$3 reserv\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/23 20:57
S13	0	pinned adj area with non- pinned adj area	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/23 21:00
S14	0	pinned adj area with non? pinned adj area	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/23 21:00
S15	1	pin\$3 near2 area with non? pin\$3 near3 area	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/23 21:01
S16	49	reserv\$3 near2 area with non?reserv\$3 near3 area	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/23 21:01
S17	2	reserv\$3 near3 unallocat\$3 with (cache near2 line)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/23 21:12
S18	2	reserv\$3 near3 unallocat\$3 near3 (area set space line) with cache	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/23 21:12
S19	2	("6223256").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/23 21:15
S20	4	("2002062424").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/23 21:20

S21	0	("cachewithreserv \$3withunallocat\$3").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/23 21:22
S22	9	cache with reserv\$3 with unallocat\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/23 21:22
S23	12	cache with (reserv\$3 sav\$3 lock\$3) with unallocat\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/23 21:31
S24	3	S23 not S22	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/23 21:32
S25	6	reserv\$3 adj2 cache near3 line with lock\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/23 22:30
S26	0	cache with structure with reserv\$3 with (non?reserv\$3 non adj reserv\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/23 22:33
S27	59	cache with structure with reserv\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/23 22:33
S28	9472	(predefin\$3 predetermin\$3) with (sav\$3 lock\$3 reserv\$3) near3 (area space line set location)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/23 22:39
S29	84	(predefin\$3 predetermin\$3) with (sav\$3 lock\$3 reserv\$3) near3 (area space line set location) with cache	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/23 22:39

S30	3	(fixed near2 number) with (sav\$3 lock\$3 reserv\$3) near3 (area space line set location) with cache	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/23 22:51
S31	0	srserved near2 portion with cache	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/23 22:53
S32	95	reserved near2 portion with cache	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/23 22:53
S33	1	10/995183.app.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/24 15:11
S34	5	catb with cache	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/26 17:26
S35	9	cache with reserv\$3 with (unallocat\$3 unassign\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/26 17:28
S36	40	cache with (assign\$3 reserv \$3 isolat\$3) with (unallocat \$3 unassign\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/26 17:42
S37	242	(reserv\$3) with (unallocat\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/26 17:45
S38	78	(reserv\$3) with (unallocat\$3) and cache	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/26 17:45

S39	69	S38 not S36	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/26 17:45
S40	53	unallocat\$3 with allocat\$3 with cache	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/26 17:47
S41	16	unallocat\$3 with allocat\$3 with (area line space sect\$3) with cache	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/26 17:47
S42	16	unallocat\$3 with allocat\$3 with (area line space sect\$3) with cache	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/26 17:48
S43	213	cache with free adj (list sect \$3 line)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/26 17:59
S44	8	allocatable with allocat\$3 with (area line space sect\$3) with cache	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/26 18:10
S45	34	cache with free adj (sect\$3 line)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/26 18:12
S46	2	("6032270").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/26 18:15
S47	335	separat\$3 near2 cache near2 (area section line)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/26 18:16

S48	0	cache with prereserv\$3 with (unallocat\$3 unassign\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/26 18:18
S49	11	reserv\$3 with (free) near3 (section line area) with cache	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/26 18:18
S50	69636	pinned	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/26 18:21
S51	188	pinned with cache	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/26 18:21
S52	45	(cache adj allocation).ti.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/26 18:25
S53	3	pinned adj data with unallocat\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/26 18:28
S54	119	(cache adj management).ti. and cache near3 (line section area)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/26 18:29
S55	136	cache with (lookable searchable search adj area look\$3 adj area readable adj area)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/26 18:38
S56	4546	lock\$3 with unlock\$3 with data	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/26 19:50

S57	115	lock\$3 with unlock\$3 with (area section line portion) with cache	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/26 19:51
S58	2	fix\$3 with lock\$3 with unlock \$3 with (area section line portion) with cache	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/26 19:51
S59	0	cache with (hidden) near2 (line section area portion) with unhidden	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/26 20:01
S60	24	cache with (hidden) near2 (line section area portion)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/26 20:01
S61	1740	cache with (hidden shad\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/26 20:03
S62	113	cache with (hidden shad\$3) near2 (line section area portion)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/26 20:04
S63	120	cache with (hidden) with (line section area portion)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/26 20:07
S64	48	cache with (inaccessible) with (line section area portion)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/26 20:08

2/26/2009 10:41:21 PM

C:\ Documents and Settings\ ychoe\ My Documents\ EAST\ Workspaces\ 10.629093.2009.02.22. wsp